



Revision: 10/04/2014

Version: 4 Revision: 10/04/2014 Previous revision: 12/03/2014 Date of printing: 10/04/2014

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

WATER BASE PRODUCT IDENTIFIER: Code: A X000 0W 03

RELEVANT IDENTIFIED USES AND USES ADVISED AGAINST: 1.2

Intended uses (main technical functions):

[_] Industrial [X] Professional [X] Consumers

Decorative paint.

Jses advised against:

This product is not recommended for any use or sector of use industrial, professional or consume other than those previously listed as 'Intended or identified uses'. If your use is not covered, please contact the supplier of this material safety data sheet.

Restrictions on manufacture, placing on market and use, according to Annex XVII of Regulation (EC) No. 1907/2006:

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET: 1.3

MONTANA COLORS, S.L.

Pol. Ind. Plà de les Vives - c/An aïs Nin 6 - E-08295 Sant Vicenç de Castellet (Barcelona)

Phone: +34 93 8332760 - Fax: +34 93 8332761

E-mail address of the person responsible for the safety data sheet:

e-mail: msds@montanacolors.com

1.4 EMERGENCY TELEPHONE NUMBER: +34 93 8332787 (9:00-17:00 h.) (working hours)

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE ORMIXTURE:

assification in accordance with Regulation (EC) No. 1272/2008~487/2013 (CLP):

WARNING: Flam. Aerosol 2:H223+H229

| Danger class | Classification of the mixture | Cat. | Routes of exposure | Targetorgans | Effects |
|---------------------------------|-------------------------------|-------|--------------------|--------------|---------|
| Physicochemical: | Flam. Aerosol 2:H223+H229 | Cat.2 | - | - | - |
| Human health: Not classified | | | | | |
| Environment: Not classified | | | | | |

Classification in accordance with Directive 1999/45/EC~2006/8/EC (DPD):

LABEL ELEMENTS: 2.2



This product is labelled with the signal word WARNING in accordance with Regulation

(EC) No. 1272/2008~487/2013 (CLP)

Hazard statements:

H223 Flammable aerosol.

Pressurised container: may burst if heated. H229

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

Use only outdoors or in a well-ventilated area. Do not breathe aerosol. P271-P260d P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501a Dispose of contents/container in a safe way.

Supplementary statements:

None.

Hazardous ingredients:

None in a percentage equal to or higher than the limit for the name.

2.3 OTHER HAZARDS

Hazards which do not result in classification but which may contribute to the overall hazards of the mixture:

Other physicochemical hazards: Vapours may form with air a mixture potencially flammable or explosive.

Other adverse human health effects: Prolonged exposure to vapours may produce transient drowsiness. In case of prolonged contact, the skin may become dry.

Other negative environmental effects: Not applicable.





Revision: 10/04/2014

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCES

Not applicable (mixture).

3.2 **MIXTURES**:

This product is a mixture.

Chemical description:

Dimethyl ether.

Hazardous ingredients:

Substances taking part in a percentage higher than the exemption limit:

Dimethyl ether 30 < 40 %

CAS: 115-10-6, EC: 204-065-8 REACH: 01-2119472128-37 Index No. 603-019-00-8 ǿ DSD: F+:R12 < ATP12

CLP: Danger: Flam. Gas 1:H220 | Press. Gas.:H280 < REACH

15 < 20 % Ethyl alcohol

CAS: 64-17-5, EC: 200-578-6 REACH: 01-2119457610-43 Index No. 603-002-00-5 DSD: F:R11

< ATP12 CLP: Danger: Flam. Liq. 2:H225 | Eye Irrit. 2:H319 < REACH

Isopropyl alcohol CAS: 67-63-0, EC: 200-661-7 2,5 < 5 %

REACH: 01-2119457558-25 **⟨७**⟨!⟩

Index No. 603-117-00-0 DSD: F:R11 | Xi:R36 | R67 < ATP30 < REACH/ATP01

CLP: Danger: Flam. Liq. 2:H225 | Eye Irrit. 2:H319 | STOT SE (narcosis) 3:H336

Impurities:

Does not contain other components of impurities which will influence the classification of the profuct.

Reference to other sections

For more information, see sections 8, 11, 12 and 16.

SUBSTANCES OF VERY HIGH CONCERN (SVHC):

List updated by ECHA on 16/12/2013.

Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:

Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:

None





Revision: 10/04/2014

SECTION 4: FIRST AID MEASURES

4.1 4.2

DESCRIPTION OF FIRST-AID MEASURES AND MAIN SYMPTOMS AND EFFECTS, ACUTE AND DELAYED:



Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

| Route of exposure | Symptoms and effects, acute and delayed | Description of first-aid measures |
|-------------------|--|---|
| Inhalation: | Normaly does not produce symptoms. | Should there be any symptoms, transfer the person affected to the open air. |
| Skin: | In case of prolonged contact, the skin may become dry. | Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners. |
| Eyes: | Contact with the eyes produces redness and pain. | Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. Remove contact lenses. If irritation persists, consult a physician. |
| Ingestion: | If swallowed in high doses, may cause gastrointestinal disturbances. | If swallowed, seek immediate medical attention. Do not induce vomiting. Keep the patient at rest. |

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

Notes to physician: Treatment should be directed at the control of symptoms and the clinical condition of the patient.

Antidotes and contraindications: Specific antidote not know.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Extinguishing powder or CO2. In the case of more important fires, also alcohol resistant foam and water spray/mist. Do not use for extinguishing: direct water jet. Direct water jet may not be effective to extinguish the fire, since the fire may spread.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Decomposes when heated intensely. As consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products may be a hazard to health.

5.3 ADVICE FOR FIREFIGHTERS:

Special protective equipment: Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or not used, combat fire from a sheltered position or at a safe distance. The standard EN469 provides a basic level of protection for chemical incidents.

Other recommendations: Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENTAND EMERGENCY PROCEDURES:

Eliminate possible sources of ignition and when appropriate, ventilate the area. Do not smoke. Avoid direct contact with this product. Avoid breathing vapours. Keep people without protection in opossition to the wind direction.

6.2 <u>ENVIRONMENTAL PRECAUTIONS:</u>

Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

Contain and mop up spills with non-combustible absorbent materials (earth, sand, vermiculite, diatomaceous earth, etc..). Avoid use of solvents. Keep the remains in a closed container.

6.4 REFERENCE TO OTHER SECTIONS:

For contact information in case of emergency, see section 1.

For information on safe handling, see section 7.

For exposure controls and personal protection measures, see section 8.

For subsequent waste disposal, follow the recommendations in section 13.





Revision: 10/04/2014

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: 7.1

Comply with the existing legislation on health and safety at work.

General recommendations

Avoid any type of leakage or escape.

Recommendations for the prevention of fire and explosion risks:

Pressurised container. Protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Do not smoke.

- Flash point Autoignition temperature 290.

Upper/lower flammability or explosive limits % Volume 25°C 3.2 - 23.1

Recommendations for the prevention of toxicological risks:

Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. Avoid applying the product directly to people, animals, plants or foodstuffs. For exposure controls and personal protection measures, see section 8.

Recommendations for the prevention of environmental contamination:

It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Prevent unauthorized access. Keep out of reach of children. This product should be stored isolated from heat and electrical sources. Do not smoke in storage area. If possible, avoid direct contact with sunlight. For more information, see section 10.

According to current legislation. Class of store

Maximum storage period 24. months

Temperature interval min: 5. °C, max: 50. °C (recommended).

Incompatible materials

Keep away from oxidixing agents, from strongly alkaline and strongly acid materials.

Type of packaging:

According to current legislation.

Limit quantity (Seveso III): Directive 96/82/EC~2003/105/EC:

Lower threshold: 50 tons, Upper threshold: 200 tons

7.3

For the use of this product do not exist particular recommendations apart from that already indicated.





Revision: 10/04/2014

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689 standard concerning methods for assessing the exposure by inhalation to chemical agents and national guidance documents for methods for the determination of dangerous substances.

OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV)

| AGCIH 2011 | <u>Year</u> | TLV-TWA | | TLV-STEL | | <u>Observations</u> |
|-------------------|-------------|---------|-------|----------|-------|---------------------|
| | | ppm | mg/m3 | ppm | mg/m3 | |
| Dimethyl ether | | 1000. | 1920. | - | - | Recommended |
| Ethyl alcohol | 1996 | 1000. | 1880. | - | - | A4 |
| Isopropyl alcohol | 2003 | 200. | 491. | 400. | 982. | A4 |

 ${\sf TLV-Threshold\ Limit\ Value, TWA-Time\ Weighted\ Average, STEL-Short\ Term\ Exposure\ Limit.}$

A4 - Non classified as carcinogenic in humans.

BIOLOGICAL LIMIT VALUES:

Not stablished

DERIVED NO-EFFECT LEVEL (DNEL):

Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances included in REACH. DNEL values may differ from a occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by a particular company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are derived by a process different of REACH.

| process sime on the real size. | | 1 | |
|--|---|---|--|
| Derived no-effect level, workers: - Systemic effects, acute and chronic: Dimethyl ether Ethyl alcohol Isopropyl alcohol | DNEL Inhalation mg/m3 - (a) 1894. (c) s/r (a) 950. (c) - (a) 500. (c) | () | DNEL Oral mg/kg bw/d - (a) - (c) - (a) - (c) - (a) - (c) |
| Derived no-effect level, workers: - Local effects, acute and chronic: Dimethyl ether Ethyl alcohol Isopropyl alcohol | DNEL Inhalation mg/m3 - (a) - (c) 1900. (a) s/r (c) - (a) - (c) | DNEL Cutaneous mg/cm2 - (a) - (c) s/r (a) s/r (c) - (a) - (c) | DNEL Eyes mg/cm2 - (a) - (c) - (a) - (c) - (a) - (c) |
| Derived no-effect level, general population: Systemic effects, acute and chronic: Dimethyl ether Ethyl alcohol Isopropyl alcohol | DNEL Inhalation mg/m3 - (a) 471. (c) s/r (a) 114. (c) - (a) 89.0 (c) | s/r (a) 206. (c) | DNEL Oral mg/kg bw/d - (a) - (c) s/r (a) 87.0 (c) - (a) 26.0 (c) |
| Derived no-effect level, general population: - Local effects, acute and chronic: Dimethyl ether Ethyl alcohol Isopropyl alcohol | DNEL Inhalation mg/m3 - (a) - (c) 950. (a) s/r (c) - (a) - (c) | DNEL Cutaneous mg/cm2 - (a) - (c) s/r (a) s/r (c) - (a) - (c) | DNEL Eyes mg/cm2 - (a) - (c) - (a) - (c) - (a) - (c) |

- (a) Acute, short-term exposure, (c) Chronic, long-term or repeated exposure.
- (-) DNEL not available (without data of registration REACH).
- s/r DNEL not derived (not identified hazard).

PREDICTED NO-EFFECT CONCENTRATION (PNEC):

| Predicted no-effect concentration, aquatic organisms: - Fresh water, marine water and intermitent release: Dimethyl ether Ethyl alcohol Isopropyl alcohol | PNEC Fresh water | PNEC Marine | PNEC Intermittent |
|--|--------------------------|--|---|
| | mg/l | mg/l | mg/I |
| | 0.155 | 0.0160 | 1.55 |
| | 0.960 | 0.790 | 2.75 |
| | 141. | 141. | 141. |
| - Wastewater treatment plants (STP) and sediments in fresh- and marine water: Dimethyl ether Ethyl alcohol Isopropyl alcohol | PNEC STP | PNEC Sediments | PNEC Sediments |
| | mg/l | mg/kg dry weight | mg/kg dry weight |
| | 160. | 0.681 | 0.0690 |
| | 580. | 3.60 | 2.90 |
| | 2251. | 552. | 552. |
| Predicted no-effect concentration, terrestrial organisms: - Air, soil and effects for predators and humans: Dimethyl ether Ethyl alcohol Isopropyl alcohol | PNEC Air mg/m3 - - | PNEC Soil mg/kg dry weight 0.0450 0.630 28.0 | PNEC Oral mg/kg bw/d - 720. 160. |

(-) - PNEC not available (without data of registration REACH).





Revision: 10/04/2014

8.2 EXPOSURE CONTROLS:

ENGINEERING MEASURES:





Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these measures are not sufficient to maintain concentrations of particulates and vapours below the Occupational Exposure Limits, suitable respiratory protection must be worn.

Protection of respiratory system: Avoid the inhalation of vapours.

Protection of eyes and face: It is recommended to dispose of water taps or sources with clean water close to the working area.

Protection of hands and skin: It is recommended to dispose of water taps or sources with clean water close to the working area. Barrier creams may help to protect the exposed areas of the skin. Barrier creams should not be applied once exposure has occurred.

OCUPATIONAL EXPOSURE CONTROLS: Directive 89/686/EEC~96/58/EC:

As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the corresponding EC marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc..), you should consult the informative brochures provided by the manufacturers of PPE.

| - ' ' | | 0, 0, 1, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, |
|--------------|---|---|
| Mask: | 1 | Suitable combined filter mask for gases, vapours and particles (EN14387/EN143). Classe 1: low capacity up to 1000 ppm, Classe 2: medium capacity up to 5000 ppm, Classe 3: high capacity up to 10000 ppm. In order to obtain a suitable protection level, the filter class must be selected depending on the type and concentration of the contaminating agents present, in accordance with the specifications supplied by the filter producers. |
| Goggles: | 1 | Safety goggles with suitable lateral protection (EN166). Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer. |
| Face shield: | | No. |
| Gloves: | 1 | Gloves resistant against chemicals (EN374). There are several factors (for example, temperature), they do in practice the period of use of a protective gloves resistant against chemicals is clearly lower than the established standard EN374. Due to the wide variety of circumstances and possibilities, we must have in mind the manual of instructions from manufacturers of gloves. The gloves should be immediately replaced when any sign of degradation is noted. |
| Boots: | | No. |
| Apron: | | No. |
| Clothing: | | No. |
| ſ . | | |

Thermal hazards:

Not applicable (the product is handled at room temperature).

ENVIRONMENTAL EXPOSURE CONTROLS:

Avoid any spillage in the environment. Avoid any release into the atmosphere.

Spills on the soil: Prevent contamination of soil.

Spills in water: Do not allow to escape into drains, sewers or water courses.

Emissions to the atmosphere: Because of volatility, emissions to the atmosphere while handling and use may result. When possible, avoid solvent release to the atmosphere; do not pulverize more than is strictly necessary.

VOC (industrial installations): If this product is used in an industrial installation, it must be verified if it is applicable the Directive 1999/13/EC, on the limitation of emissions of volatile compounds due to the use of organic solvents in certain activities and installations: Solvents: 57.0% Weight, VOC (supply): 57.0% Weight, VOC: 30.2% C (expressed as carbon), Molecular weight (average): 47.8, Number C atoms (average): 2.1.





Relative water

Revision: 10/04/2014

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

Appearance Physical state

Odour

Odour threshold

pH-value

рΗ Change of state

Melting pointInitial boiling point

Density

Relative density Stability

 Decomposition temperature Viscosity:

· Viscosity (flow time) Volatility:

Vapour pressure

Solubility(ies)

- Solubility in water:

Solubility in oils and fats:

Flammability:

Flash point

Upper/lower flammability or explosive limits

Autoignition temperature

Explosive properties:

Vapours can form explosive mixtures with air and are able to flame up or explode in presence of an ignition source.

Based on the chemical structure of the ingredientes of the mixture, is unable to react with combustible materials.

OTHER INFORMATION: 9.2

Solids 22.9 % Weight - VOC (supply) 57.0 % Weight - VOC (supply) 484.8 **g/l**

The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data sheet of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12.

Aerosol.

Characteristic Not available (mixture).

Not available

Not applicable

Not applicable

Not available

Not miscible

Not applicable

Not applicable (mixture). Not applicable

0.85 at 20/4°C

-35. °C 3.2 - 23.1 % Volume 25°C 290. °C

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY:

Corrosivity to metals: It is not corrosive to metals.

Pyrophorical properties: It is not pyrophoric.

10.2 CHEMICAL STABILITY:

Stable under recommended storage and handling conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: 10.3

Possible dangerous reaction with oxidizing agents, acids.

CONDITIONS TO AVOID: 10.4

Heat: Keep away from sources of heat.

Light: Avoid direct contact with sunlight.

Air: Not applicable.

Pressure: Not applicable.

10.5

Shock: Not applicable.

INCOMPATIBLE MATERIALS:

Keep away from oxidixing agents, from strongly alkaline and strongly acid materials.

HAZARDOUS DECOMPOSITION PRODUCTS: 10.6

As consequence of thermal decomposition, hazardous products may be produced: carbon monoxide.

MATERIAL SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 453/2010



WATER BASE Code: AX0000W03



Page 8/11

Revision: 10/04/2014

SECTION 11: TOXIC OLOGICAL INFORMATION

No experimental toxicological data on the preparation is available. The toxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EC) No. 1272/2008~286/2011 (CLP).

INFORMATION ON TOXICOLOGICAL EFFECTS: 11.1

| ACI | JTF | = T | $\cap X$ | ICI | TY: |
|-------|-------|-----|----------|-----|-----|
| , , , | _ , , | - " | - | | |

| Dose and lethal concentrations | <u>DL50</u> (OECD 401) | DL50 (OECD 402) | CL50 (OECD 403) |
|--------------------------------|------------------------|-----------------|---------------------|
| for individual ingredients : | mg/kg oral | mg/kg cutaneous | mg/m3.4h inhalation |
| Dimethyl ether | | | > 100000 Rat |
| Ethyl alcohol | 10470. Rat | > 20000. Rabbit | > 20000. Rat |
| Isopropyl alcohol | 5045. Rat | 12800. Rabbit | > 72600. Rat |

No observed adverse effect level

Not available

Lowest observed adverse effect level

Not available

INFORMATION ON LIKELY ROUTES OF EX POS URE: Acute toxicity:

| ### OT################################# | <u> </u> | tioity i | |
|---|-------------------|----------|--|
| Routes of exposure | Acute toxicity | Cat. | Main effects, acute and/or delayed |
| Inhalation: Not classified | ETA > 20000 mg/m3 | - | Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met). |
| Skin: Not classified | ETA > 2000 mg/kg | - | Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met). |
| Eyes: Not classified | Not available | - | Not classified as a product with acute toxicity by eye contact (lack of data). |
| Ingestion: Not classified | ETA > 5000 mg/kg | - | Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met). |

CORROSION/IRRITATION/SENSITISATION:

| Danger class | Targetorgans | Cat. | Main effects, acute and/or delayed |
|--|--------------|------|--|
| Respiratory corrosion/irritation: Not classified | - | - | Not classified as a product corrosive or irritant by inhalation (based on available data, the classification criteria are not met). |
| Skin corrosion/irritation: Not classified | - | - | Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met). |
| Serious eye damage/irritation: Not classified | - | - | Not classified as a product corrosive or irritant in contact with eyes (based on available data, the classification criteria are not met). |
| Respiratory sensitisation: Not classified | - | - | Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met). |
| Skin sensitisation: Not classified | - | - | Not classified as a product sensitising by skin contact (based on available data, the classification criteria are not met). |

ASPIRATION HAZARD:

| Danger class | Targetorgans | Cat. | Main effects, acute and/or delayed |
|--------------------------------------|--------------|------|------------------------------------|
| Aspiration hazard: Not classified | - | - | Not applicable. |

SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):

Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).

CMR EFFECTS:

Carcinogenic effects: Is not considered as a carcinogenic product.

Genotoxicity: Is not considered as a mutagenic product.

Toxicity for reproduction: Do not harm fertility. Do not harm the fetus developping.

Effects via lactation: Not classified as a hazardous product for children breast-fed.





Revision: 10/04/2014

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:

Routes of exposure: May be absorbed by inhalation of vapour, through the skin and by ingestion.

Short-term exposure: Exposure to solvent vapour concentrations in excess of the stated occupational exposure limit, may result in adverse health effects, such as mucous membrane and respiratory system irritation and adverse effects on kidneys, liver and central nervous system. Liquid splashes in the eyes may cause irritation and reversible damage. If swallowed, may cause irritation of the throat; other effects may be the same as described in the exposure to vapours.

Long-term or repeated exposure: Repeated or prolonged contact may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

INTERACTIVE EFFECTS:

Not available.

INFORMATION ABOUT TOXICOCINE TICS, METABOLISM AND DISTRIBUTION:

Dermal absorption: Not available.

Basic toxicokinetics: Not available.

ADDITIONAL INFORMATION:

Not available.

SECTION 12: ECOLOGICAL INFORMATION

No experimental ecotoxicological data on the preparation as such is available. The ecotoxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EC) No. 1272/2008~286/2011 (CLP).

| 12.1 | TOXICITY: | | | |
|------|---|--|---|---|
| | Acute toxicity in aquatic environment for individual ingredients : Dimethyl ether Ethyl alcohol Isopropyl alcohol | CL50 (OECD 203) mg/l.96hours 4100. Fishes 14200. Fishes 9640. Fishes | CE50 (OECD 202) mg/l.48hours 4400. Daphnia 5012. Daphnia 13300. Daphnia | CE50 (OECD 201) mg/172hours 275. Algae > 1000. Algae |
| | No observed effect concentration Not available Lowest observed effect concentration Not available | | | |
| 12.2 | PERSISTENCE AND DEGRADABILITY: Not available. | | | |
| 12.3 | BIOACCUMULATIVE POTENTIAL: Not available. | | | |
| 12.4 | MOBILITY IN SOIL: Not available. | | | |
| 12.5 | RESULTS OF PBT AND MPMB ASSESMENT: Annex XIII of Regulati Not applicable. | on (EC) no. 1907/2006: | | |
| 12.6 | OTHER ADVERSE EFFECTS: Ozone depletion potential: Not available. Photochemical ozone creation potential: Not available. Earth global warming potential: In case of fire or incineration liberates (Endocrine disrupting potential: Not available. | CO2. | | |

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS: Directive 2008/98/EC:

Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose of at an authorised waste collection point. Waste should be handled and disposed of in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8.

<u>Disposal of empty containers:</u> Directive 94/62/EC~2005/20/EC, Decision 2000/532/EC:

Emptied containers and packaging should be disposed of in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their classification,)in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself. Ensure the container is completely empty before throwing it away.

Procedures for neutralising or destroying the product:

In accordance with local regulations. Do not incinerarate closed containers.

MATERIAL SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 453/2010



WATER BASE

Code: AX0000W03



Page 10 / 11

Revision: 10/04/2014

SECTION 14: TRANSPORT INFORMATION

UN NUMBER: 1950 14.1

UN PROPER SHIPPING NAME: 14.2

AEROSOLS

TRANSPORT HAZARD CLASS(ES) AND PACKING GROUP: 14.3

14.4

Transport by road (ADR 2013) and

Transport by rail (RID 2013):

- Class: 2 - Packaging group: - Classification code: 5F Tunnel restriction code: (D)

- Transport category: 2, max. ADR 1.1.3.6. 333 L

- Limited quantities: LQ2 (see total exemptions ADR 3.4)

- Transport document: Consignment paper.

- Instructions in writing: ADR 5.4.3.4

Transport by sea (IMDG 35-10):

Class: 2.1 Packaging group: - Emergency Sheet (EmS): F-D,S-U - First Aid Guide (MFAG): 620 - Marine pollutant: No.

- Transport document: Shipping Bill of lading.

Transport by air (ICAO/IATA 2012):

- Class: 2.1

- Packaging group:

- Transport document: Air Bill of lading.

Transport by inland waterways (ADN):

Not available.

14.5 **ENVIRONMENTAL HAZARDS**

Not applicable (not classified as hazardous for the environment).

14.6 SPECIAL PRECAUTIONS FOR USER:

Ensure adequate ventilation.

14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE:

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1 EU SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC:

The regulations applicable to this product generally are listed throughout this material safety data sheet.

Restrictions on manufacture, placing on market and use: See section 1.2

Control of the risks inherent in major accidents (Seveso III): See section 7.2

Tactile warning of danger: Not applicable (the classification criteria are not met).

Child safety protection: Not applicable (the classification criteria are not met).

Legislación específica sobre aerosoles

It is applicable the Directive 75/324/EEC ~2013/10/EU, relating to aerosol dispensers and the Directive 87/404/EEC, concerning simple preasure packages.

OTHER REGULATIONS:

Not available

CHEMICAL SAFETY ASSESSMENT: 15.2

Not applicable (mixture).

MATERIAL SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 453/2010



WATER BASE Code: AX0000W03



Page 11 / 11

Revision: 10/04/2014

SECTION 16: OTHER INFORMATION

16.1 TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3:

Hazard statements according the Regulation (EC) No. 1272/2008~790/2009 (CLP), Annex III:

H220 Extremely flammable gas. H225 Highly flammable liquid and vapour. H280 Contains gas under pressure: may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

R-phrases according the Directive 67/548/EEC~2001/59/EC (DSD), Annex III:

R11 Highly flammable. R12 Extremely flammable. R36 Irritating to eyes. R67 Vapours may cause drowsiness and dizziness.

ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS:

It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of material safety data sheets and labelling of products as well.

MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:

- · European Chemicals Agency: ECHA, http://echa.europa.eu/
- · Access to European Union Law, http://eur-lex.europa.eu/
- · European Chemicals Bureau: Existing Chemicals, http://esis.jrc.ec.europa.eu/
- · Industrial Solvents Handbook, Ibert Mellan (Noyes Data Co., 1970).
- · Threshold Limit Values, (AGCIH, 2011).
- · European agreement on the international carriage of dangerous goods by road, (ADR 2013).
- · International Maritime Dangerous Goods Code IMDG including Amendment 35-10 (IMO, 2010).

ABBREVIATIONS AND ACRONYMS:

List of abbreviations and acronyms that can be used (but not necessarily used) in this material safety data sheet:

- · REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.
- · DSD: Dangerous Substances Directive.
- · DPD: Dangerous Preparations Directive.
- · GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations.
- CLP: European regularion on Classificatin, Labelling amd Packaging of substances and chemical mixtures.
- · EINECS: European Inventory of Existing Commercial Chemical Substances.
- · ELINCS: European List of Notified Chemical Substances.
- · CAS: Chemical Abstracts Service (Division of the American Chemical Society).
- · UVCB: Substances of Unknown or Variable composition, complex reaction products or biological materials).
- · SVHC: Substances of Very High Concern.
- · PBT: Persistent, bioaccumulable and toxic substances.
- \cdot vPvB: Very persistent and very bioaccumulable substances.
- · VOC: Volatile Organic Compounds.
- · DNEL: Derived No-Effect Level (REACH).
- PNEC: Predicted No-Effect Concentration (REACH).
- · LD50: Letal dose, 50 percent.
- · LC50: Letal concentration, 50 percent.
- · UN: United Nations Organisation.
- · ADR: European agreement concerning the international carriage of dangeous goods by road.
- RID: Regulations concerning the international transport of dangeous goods by rail.
- · IMDG: International Maritime code for Dangerous Goods.
- · IATA: International Air Transport Association.
- · ICAO: International Civil Aviation Organization.

MATERIAL SAFETY DATA SHEET REGULATIONS:

Material Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex I of Regulation (EU) No. 453/2010.

 HISTORY:
 Revision:

 Version:
 3
 12/03/2014

 Version:
 4
 10/04/2014

Modifications with respect to the previous Material Safety Data Dheet:

The possible legislative, contextual, numerical, methodological and normative changes with respect to the previous version are highlighted in this Material Safety Data Sheet by a mark # in red and italic.

The information of this Material Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users' working conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Material Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product's properties.