Page 1/8

*

Safety data sheet According to 91/155 EEC

Printing date 24.03.2015

Version number 5

Revision: 24.03.2015

Hazardous according to criteria of Australian Safety and Compensation Council

1 Identification of the substance/mixture and of the company/undertaking · Product identifier · Trade name: MONTANA EM Marble 400ml · Article number: 415357, 415364, 415371 · Application of the substance / the mixture Lacquer · Details of the supplier of the safety data sheet · Manufacturer/Supplier: MONTANA CANS Häusserstr. 36 D-69115 Heidelberg Tel. +49-6221-36333-30 Fax +49-6221-36333-33 info@montana-cans.de www.montana-cans.com • Further information obtainable from: Department Product Safety · Emergency telephone number: Tel.:+49 6266-75-310 Fax +49 6266-75-362 (Mo - Th 08:00 am - 04:00 pm, Fr 08:00 am - 00:30 pm) **2** Composition/information on ingredients · Chemical characterisation: Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: CAS: 115-10-6 dimethyl ether 75-≤100% EINECS: 204-065-8 🔥 F+ R12 Index number: 603-019-00-8 🚸 Flam. Gas 1, H220; Press. Gas C, H280 RTECS: PM 4780000 Reg.nr.: 01-2119472128-37 CAS: 67-64-1 12.5-<20% acetone EINECS: 200-662-2 🗙 Xi R36; 🔥 F R11 Index number: 606-001-00-8 R66-67 RTECS: AL 3150000 🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, Reg.nr.: 01-2119471330-49 *H336* CAS: 7429-90-5 aluminium powder (pyrophoric) <2.5% EINECS: 231-072-3 🔥 F R15-17 Index number: 013-001-00-6 🔞 Pyr. Sol. 1, H250; Water-react. 2, H261 RTECS: BD 0330000 Reg.nr.: 01-2119529243-45

· Additional information:

The content of Benzene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex 1 67/548 EU), so the classification as carcinogen need not to apply. For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

· Classification of the substance or mixture




Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. (Contd. on page 2)

AUS

Page 2/8

Safety data sheet According to 91/155 EEC

Revision: 24.03.2015



• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3) AUS Page 3/8

Safety data sheet According to 91/155 EEC

Printing date 24.03.2015

Version number 5

Revision: 24.03.2015

Trade name: MONTANA EM Marble 400ml

(Contd. of page 2)

· After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

5 Firefighting measures

· Suitable extinguishing agents:

CO2, bluspoeder of waterstraal. Grotere brand met waterstraal of met schuim. Vaten met water afkoelen.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.

· Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. Do not allow product to reach sewage system or any water course.
- *Methods and material for containment and cleaning up:* Do not flush with water or aqueous cleansing agents Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
 Information about fire - and explosion protection:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- Storage:
- *Requirements to be met by storerooms and receptacles: Store in a cool location.*
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Do not seal receptacle gas tight.
- Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.
- Storage class: 2B
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

AUS

*

Safety data sheet According to 91/155 EEC

Printing date 24.03.2015

Version number 5

Revision: 24.03.2015

Trade name: MONTANA EM Marble 400ml

	(Contd. of page
-	edients with limit values that require monitoring at the workplace:
115-1	10-6 dimethyl ether
NES	Short-term value: 950 mg/m³, 500 ppm
	Long-term value: 760 mg/m³, 400 ppm
67-6 4	4-1 acetone
NES	Short-term value: 2375 mg/m ³ , 1000 ppm
	Long-term value: 1185 mg/m ³ , 500 ppm
7429	-90-5 aluminium powder (pyrophoric)
NES	Long-term value: 10* 5** mg/m ³
	*metal dust; **welding, pyro powders
Addi	tional information: The lists valid during the making were used as basis.
	onal protective equipment:
	ral protective and hygienic measures:
	n hands before breaks and at the end of work.
	ot inhale gases / fumes / aerosols.
	iratory protection: Not required.
Prote	ection of hands:
Canal	Protective gloves
	ent resistant gloves
KCL	use of contact with spray dust protective gloves made of butyl shoud be used (min. 0.4 mm thick), e. Camatril, article no. 898 or similar products
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	ction of the glove material on consideration of the penetration times, rates of diffusion and th
	adation
	rial of gloves Butyl rubber, BR
	tration time of glove material I rubber gloves with a thickness of 0.4 mm are resistant to:
	one: 480 min
	l acetate: 60 min
	l acetate: 170 min
Ethv	ne: 42 min
-	ne. 42 min

General Information		
Appearance:		
Form:	Aerosol	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Not applicable, as aerosol.	
Flash point:	Not applicable, as aerosol.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	235 °C	
		(Contd. on page

Safety data sheet According to 91/155 EEC

Printing date 24.03.2015

Version number 5

Revision: 24.03.2015

Trade name: MONTANA EM Marble 400ml

	(Contd. of page
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
Explosion limits:	
Lower:	2.6 Vol %
Upper:	18.6 Vol %
Vapour pressure at 20 °C:	5200 hPa
Density at 20 °C:	$0.73 \ g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/w	ater): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC-(EU)	
	650.5 g/l
Solids content:	10.3 %
Other information	No further relevant information available.

10 Stability and reactivity

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values relevant for classification:

67-64-1 acetone

- *Oral LD50 5800 mg/kg (rat)*
- Dermal LD50 20000 mg/kg (rabbit)
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitisation: No sensitising effects known.
- · Additional toxicological information: Vapours have narcotic effect.

12 Ecological information

- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

AUS

Safety data sheet According to 91/155 EEC

Printing date 24.03.2015

Version number 5

Revision: 24.03.2015

(Contd. of page 5)

Trade name: MONTANA EM Marble 400ml

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 01 11*waste paint and varnish containing organic solvents or other dangerous substances15 01 04metallic packaging15 01 11*metallic packaging containing a dangerous solid porous matrix (for example asbestos), including
empty pressure containers

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number · ADG, IMDG, IATA	UN1950	
· UN proper shipping name		
ADG	UN1950 AEROSOLS	
·IMDG	AEROSOLS	
·IATA	AEROSOLS, flammable	
· Transport hazard class(es)		
·ADG		
*		
· Class	2 5F Gases.	
· Label	2.1	
· IMDG, IATA		
· Class	2.1	
· Label	2.1	
· Packing group		
· ADG, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
• Special precautions for user • Danger code (Kemler):	Warning: Gases.	
	(Contd. on page	

AUS

Safety data sheet

According to 91/155 EEC

Printing date 24.03.2015

Version number 5

Revision: 24.03.2015

Trade name: MONTANA EM Marble 400ml

	(Contd. of page
· EMS Number:	F-D,S-U
· Transport in bulk according to Annex I	I of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· Transport category	2
• Tunnel restriction code	D
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities ($\widetilde{E}Q$)	Code: E0
	Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN1950, AEROSOLS, 2.1

15 Regulatory information

· Australian Inventory of Chemical Substances

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

67-64-1 acetone

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



Signal word Danger
Hazard statements

Extremely flammable aerosol. Pressurised container: May burst if heated.
Causes serious eye irritation.

Precautionary statements

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Do not breathe spray.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents / container in accordance with regional regulations.

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• *Relevant phrases* H220 Extremely flammable gas.

(Contd. on page 8)

S5

AUS

Printing date 24.03.2015

Safety data sheet According to 91/155 EEC

Version number 5

Revision: 24.03.2015

Trade name: MONTANA EM Marble 400ml

(Contd. of page 7)
H225 Highly flammable liquid and vapour.
H250 Catches fire spontaneously if exposed to air.
H261 In contact with water releases flammable gases.
H280 Contains gas under pressure; may explode if heated.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
R11 Highly flammable.
R12 Extremely flammable.
••
R15 Contact with water liberates extremely flammable gases.
<i>R17</i> Spontaneously flammable in air.
R36 Irritating to eyes.
<i>R66 Repeated exposure may cause skin dryness or cracking.</i>
R67 Vapours may cause drowsiness and dizziness.
· Contact: Anwendungstechnik
· Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the
International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
Flam. Gas 1: Flammable gases, Hazard Category 1
Flam. Aerosol 1: Flammable aerosols, Hazard Category 1
Press. Gas C: Gases under pressure: Compressed gas
Flam. Liq. 2: Flammable liquids, Hazard Category 2
Pyr. Sol. 1: Pyorphoric Solids, Hazard Category 1
Water-react. 2: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 2
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
AUS